Pendants



REANIMED
HEALTHCARE SYSTEMS



Pendants

Reanimed Pendants, which bring medical gas, electricity and equipment positioning service from a single point in Intensive Care Units closer to the patient, offer ergonomic and flexible solutions. It allows you to move your mobility, efficiency and equipment without slowing down your workflow.

Technicial Specifications

MODEL NO	PENDANIMED.01	PENDANIMED.02	PENDANIMED.03
Joint Types	Single/Double Arm	Single/Double Arm	Single/Double Arm
Lifting Type	Motorized/Non Motorized	Motorized/Non Motorized	Motorized/Non Motorized
Pendant Use	Surgical	Anesthesia	General
Console Type	Kale	Kale	Kale

MODEL NO	PENDANIMED.04	PENDANIMED.05	PENDANIMED.06
Joint Types	Single/Double Arm	Single/Double Arm	Single/Double Arm
Lifting Type	Motorized/Non Motorized	Motorized/Non Motorized	Motorized/Non Motorized
Pendant Use	Surgical	Anesthesia	General
Console Type	Hexmod	Hexmod	Hexmod

MODEL NO	PENDANIMED.07	PENDANIMED.08	PENDANIMED.09
Joint Types	Fixed ICU	2 pc - Tandem Type	Bridge Type
Lifting Type	Fixed	Motorized/Non Motorized	Horizontal Shelves With Cars
Pendant Use	ICU	General	Bridge Type
Console Type	Hexmod / Kale	2 pc - Hexmod/Kalemod	No Console

MODEL NO	PENDANIMED.10	PENDANIMED.11	PENDANIMED.12
Joint Types	Lift Pendant	Telescopic	Tandem Pendant with Monitors
Lifting Type	High Load Vertical Lift	Vertical Telescopic Pendant	Motorized/Non Motorized
Pendant Use	General Lift Purposes	General	General
Console Type	Lift Console	Telescopic Console	1 pc - Hexmod or Kalemod


Turnkey Health Systems


Pendant ARM Types


1


2


3


4


5


6


7


8


9

1	FIXED ICU
2	SINGLE ARM NON MOTORIZED
3	DOUBLE ARM NON MOTORIZED
4	SINGLE ARM MOTORIZED
5	DOUBLE ARM MOTORIZED
6	TANDEM TYPE
7	TELESCOPIC TYPE
8	LIFT TYPE
9	ENDOSCOPY TYPE


High Payload capacities up to 180 kg
Color coded brake buttons and joints
Ergonomic brake systems
Powder Coated Stainless Aluminum Body
Wide range of accessories
Electrical and gas sockets distanced 200mm between


Turnkey Health Systems


Reanimed High Load Pneumatic Brake Systems


Reanimed Pneumatic Brake Systems offers a wide range of oppurtunities such as;

- 98mm diameter for easy cable and hose routing inside of the pendant arm.
- %50 Higher capacity of load carrying from a normal pendant system.
- Durable Components for longlasting and low maintenance cycles.










Reanimed High Load Pneumatic Brake Systems


Reanimed Pneumatic Brake Systems offers a wide range of oppurtunities such as;

- 98mm diameter for easy cable and hose routing inside of the pendant arm.
- %50 Higher capacity of load carrying from a normal pendant system.
- Durable Components for longlasting and low maintenance cycles.


MOTORIZED SINGLE ARM




MOTORIZED DOUBLE ARM




NON MOTORIZED SIGNLE ARM



NON MOTORIZED DOUBLE ARM




	MOTORIZED SINGLE ARM	MOTORIZED DOUBLE ARM	NON MOTORIZED SIGNLE ARM	NON MOTORIZED DOUBLE ARM
MAX PAYLOAD	160 KG	180 KG with 800mm Arm	140 KG with 800mm Arm	140KG with 800+800mm Arms
		210 KG with 600mm Arm	160KG with 600mm Arm	165KG with 600+600mm Arms
			If wanted can carry up to 480KG max	If wanted can carry up to 480KG max





Reanimed Standard Pneumatic Brake Systems


Reanimed Pneumatic Brake Systems offers a wide range of oppurtunities such as;

- 98mm diameter for easy cable and hose routing inside of the pendant arm.
- Standard capacity of load carrying of a normal reanimed pendant system.
- Durable Components for longlasting and low maintenance cycles.










Reanimed Standard Pneumatic Brake Systems


Reanimed Pneumatic Brake Systems offers a wide range of oppurtunities such as;

- 98mm diameter for easy cable and hose routing inside of the pendant arm.
- Standard capacity of load carrying of a normal reanimed pendant system.
- Durable Components for longlasting and low maintenance cycles.


MOTORIZED SINGLE ARM




MOTORIZED DOUBLE ARM




NON MOTORIZED SIGNLE ARM



NON MOTORIZED DOUBLE ARM




	MOTORIZED SINGLE ARM	MOTORIZED DOUBLE ARM	NON MOTORIZED SIGNLE ARM	NON MOTORIZED DOUBLE ARM
MAX PAYLOAD	135 KG	145 KG with 800mm Arm	115 KG with 800mm Arm	115 KG with 800+800mm Arms
		180 KG with 600mm Arm	130 KG with 600mm Arm	125 KG with 600+600mm Arms
			If wanted can carry up to 310 KG max	If wanted can carry up to 310 KG max





Lift Pendants






- Ceiling Mounting Plates for Fixing
- Data Output in Desired Standards
- Optional Gas Outlets in "DIN, BS, NF" Norms
- Multipurpose Accessory Rail Channel
- Earthing Sockets in Desired Standards
- Electrical Sockets Options in Desired Standards
- Accessory and Equipment Stand Options
- Multipurpose Accessory Rail
- Membrane Button, Motor and Brake Control Panel



Tandem Pendants



Ceiling Mounting Plates for Fixing
Double Monitor Arm
Data Output in Desired Standards
Optional Gas Outlets in "DIN, BS, NF" Norms
Multipurpose Accessory Rail Channel
Earthing Sockets in Desired Standards
Electrical Sockets Options in Desired Standards
Accessory and Equipment Stand Options
Multipurpose Accessory Rail
Membrane Button, Motor and Brake Control Panel
Optional Hexmod or Kalemod Consoles



Telescopic Pendant



Ceiling Mounting Plates for Fixing
Data Output in Desired Standards

Optional Gas Outlets in "DIN, BS, NF" Norms

Multipurpose Accessory Rail Channel

Earthing Sockets in Desired Standards


Electrical Sockets Options in Desired Standards

Accessory and Equipment Stand Options

Multipurpose Accessory Rail

Membrane Button, Motor and Brake Control Panel





Pendant Consele Types

Optional Gas Sockets in
"DIN, BS, NF" Norms

Data Output in Desired Standards

Multipurpose Accessory Rail Channel



1



2



3



4

Electrical Sockets Options in
Desired Standards

Accessory and Equipment Carrier
Stand Options

Earthing Sockets in Desired Standards

Multipurpose Accessory Rail

1	Hexmod General
2	Kalemod General
3	Hexmod Surgical
4	Kalemod Surgical
5	Hexmod Anesthesia
6	Kalemod Anesthesia



5



6

Turnkey Health Systems

Pendant Consele Types

High Load Capacity Shelves

Optional Gas Sockets in
"DIN, BS, NF" Norms

Data Output in Desired Standards

Multipurpose Accessory Rail Channel



7



8

Electrical Sockets Options in
Desired Standards

Accessory and Equipment Carrier
Stand Options

Earthing Sockets in Desired Standards

Multipurpose Accessory Rail




9


7	Endomod General
8	Endomod Anesthesia
9	Endomod Surgical

Turnkey Health Systems

Pendant Accessories



1


2


3


4


5




1	Shelf
2	Shelf With Drawer
3	ICU Pole
4	Basket
5	Monitor Holder Arm

Turnkey Health Systems

Scope of Application

Reanimed Pendants, which bring medical gas, electricity and equipment positioning service from a single point in Intensive Care Units closer to the patient, offer ergonomic and flexible solutions. It allows you to move your mobility, efficiency and equipment without slowing down your workflow.

Reanimed Pendants; In all areas where patient intervention is required such as operating rooms, intensive care rooms, endoscopy rooms, preparation rooms and emergency services; Thanks to its versatile mobility and ergonomic design, it provides ease of use and access to medical gas, electricity, data and other equipment.














REANIMED
HEALTHCARE SYSTEMS

Reanimed Teknik ve Tıbbi Sistemler San. ve Tic. A.Ş.
Köşklü Çeşme Mah. Yeni Bağdat Cad. No:126/B Gebze/KOCAELİ
0 (262) 646 08 88 Pbx - 0262 646 91 29
info@reanimed.com.tr
0262 646 98 53
www.reanimed.com.tr